

CATTLE PROCESSING PLAN: 20 Possible Points

Possible Point Deductions:	Points Deducted:
<i>Product Name & Information (Serial or lot #, Expiration Date, Treatment For)</i> <ul style="list-style-type: none"> not complete as it appears on label (-1 point) missing/incomplete information (ie. box left empty) (-1 point) 	
<i>Route of Administration/Dose</i> <ul style="list-style-type: none"> is SQ chosen over IM if injection can be given either way (-1 point) missing/incomplete information (ie. box left empty) (-1 point) 	
<i>Location of Administration</i> <ul style="list-style-type: none"> two different vaccinations are given in same location (-1 point) missing/incomplete information (ie. box left empty) (-1 point) 	
<i>Preslaughter Withdrawal</i> <ul style="list-style-type: none"> missing/incomplete information (ie. box left empty) (-1 point) incorrect withdrawal time listed (-0.5 point) 	
<i>TSU & Ear Tags (EID, Visual)</i> <ul style="list-style-type: none"> tags – 2 (must be 1 per ear if two need to be administered) (-0.5 point) missing/incomplete information (ie. box left empty) (-1 point) 	

TOTAL POINTS DEDUCTED: _____

TOTAL SCORE FOR PROCESSING PLAN (20 POINTS TOTAL): _____

COMMENTS:**TIME: 10 Possible Points**

Under 10 minutes (10 points)	12:31 – 13:00 (4 points)
10:01 – 10:30 (9 points)	13:01 – 13:30 (3 points)
10:31 – 11:00 (8 points)	13:31 – 14:00 (2 points)
11:01 – 11:30 (7 points)	14:01 – 14:30 (1 point)
11:31 – 12:00 (6 points)	14:31 – 15:00 (1/2 point)
12:01 – 12:30 (5 points)	Over 15 minutes (0 points)

SCORE FOR TIME: _____

	HEAD #1	HEAD #2	HEAD #3
<p><u>Dewormer: (10 pts)</u> <i>Possible Point Deductions: (-2 each)</i></p> <ul style="list-style-type: none"> • Fail to readminister oral product if calf spit out • Improper measure of dosage for proper applicator • Handling products labeled as hazardous without gloves <p><i>Possible Point Deductions (-1 each)</i></p> <ul style="list-style-type: none"> • Took more than 1 attempt to administer properly • Fail to apply the topical product from withers to tailhead • Fail to insert applicator of orally-administered product sufficiently into mouth • Fail to wait to complete injections before applying topical product • Failure to adjust technique if corrected by official <p><i>Other Deductions:</i></p>			
<p><u>Clostridial Vaccination Injections: (10 pts)</u> <i>Possible Point Deductions: (-2 each)</i></p> <ul style="list-style-type: none"> • Fail to re-administer product if not given correctly on first attempt • Shot given IM instead of SQ • Injection given behind neck, too high, too low, or too far forward • Needle used to give vaccine is same as needle used to draw vaccine • Vaccine not properly hydrated or mixed • Syringe not switched between clostridial and respiratory vaccine <p><i>Possible Point Deductions (-1 each)</i></p> <ul style="list-style-type: none"> • Took more than 1 attempt to administer properly • Injection not given where indicated on cattle processing plan • IM injection was given too shallow in muscle • Wrong dose given • Needle dropped or bent <p><i>Other Deductions:</i></p>			
<p><u>Respiratory Vaccination Injections: (10 pts)</u> <i>Possible Point Deductions: (-2 each)</i></p> <ul style="list-style-type: none"> • Fail to re-administer product if not given correctly on first attempt • Shot given IM instead of SQ • Injection given behind neck, too high, too low, or too far forward • Needle used to give vaccine is same as needle used to draw vaccine • Vaccine not properly hydrated • Syringe not switched between clostridial and respiratory vaccine <p><i>Possible Point Deductions (-1 each)</i></p> <ul style="list-style-type: none"> • Took more than 1 attempt to administer properly • Injection not given where indicated on cattle processing plan • IM injection was given too shallow in muscle • Wrong dose given • Needle dropped or bent <p><i>Other Deductions:</i></p>			

<p>Tags: (10 pts) <i>Possible Point Deductions: (-2 each)</i></p> <ul style="list-style-type: none"> • Tags handled without gloves <p><i>Possible Point Deductions (-1 each)</i></p> <ul style="list-style-type: none"> • Took more than 1 attempt to administer properly • Ear tag not placed in two ears per instructions on bag • Ear button in contact with implant (<i>may be subject to owners' decision</i>) • Tag placed in ear backwards (unless placed here to avoid blocking visual tag) • Tag not placed in location specified on cattle processing plan • Tag not placed securely or correctly in ear <p><i>Other Deductions:</i></p>			
<p>Cattle Handling: (10 pts) <i>Possible Point Deductions: (-2 each)</i></p> <ul style="list-style-type: none"> • Rough handling • Failure to use crowd gate • Excessive use of cattle stick <p><i>Possible Point Deductions (-1 each)</i></p> <ul style="list-style-type: none"> • Team needed more than 1 attempt to properly load cattle into alley chute • Noisy handling • Missed head catch • Failure to use squeeze before processing • Failure to release squeeze before releasing animal • Failure to latch crowd gate • Failure to use bar behind animal • Failure to remove bar after releasing animal when gate open for the next <p><i>Other Deductions:</i></p>			
<p>Safety: (10pts) <i>Possible Point Deductions (-2 each)</i></p> <ul style="list-style-type: none"> • Handler's head too close to calf's head during tagging or implanting • Putting arms through the chute in a manner that can • Dropping the tail gate on the calf • Attempting to administer injection in the neck in front of the head catch <p><i>Other Deductions:</i></p>			

TOTAL POINTS DEDUCTED: _____

TOTAL SCORE (60 POSSIBLE): _____

TOTAL POINTS OVERALL (90 POSSIBLE): _____

COMMENTS: